IN THE CLAIMS

The following is a complete listing of the claims, and replaces all earlier versions and listings.

1. (Currently Amended) An image processing apparatus comprising:

discrimination means for discriminating a drawing object based upon object information corresponding to the drawing object;

developing means for developing the drawing object and obtaining developed image data which represents a developed image;

designation means for designating a region of the developed image based upon the object information corresponding to the drawing object that has been developed by said developing means;

shift-up means for shifting up the bits of image data corresponding to the region of the developed image; [[:]] and

encoding means for entropy encoding the developed image data, in which the bits of the image data which have been shifted up by said shift-up means.

2. (Original) The apparatus according to claim 1, further comprising combining means for combining drawing objects based on the corresponding object information when combination of drawing objects is commanded;

wherein said developing means performs developing based upon the drawing objects combined by said combining means.

- 3. (Currently Amended) The apparatus according to claim 1, wherein said encoding means performs encoding while lowering the a compression ratio of the developed image data corresponding to the region.
- 4. (Original) The apparatus according to claim 1, wherein said designation means designates the region in accordance with a degree of priority of object information that corresponds to the drawing object.
- 5. (Original) The apparatus according to claim 1, wherein the drawing object is described by a page description language.
 - 6. (Currently Amended) An image processing method comprising:

a discrimination step, of discriminating a drawing object based upon object information that corresponding to the drawing object;

an a developing step, of developing the drawing object and obtaining developed image data which represents developed image;

a designation step, of designating a region of the developed image based upon object information corresponding to the drawing object that has been developed by in said developing step;

<u>a</u> shift-up step, of shifting up the bits of image data corresponding to the region of the developed image; [[:]] and

an encoding step, of entropy encoding the developed image data, in which the bits of the image data which have been shifted up by said shift-up step.

7. (Currently Amended) The method according to claim 6, further comprising a combining step of combining drawing objects based on the corresponding to object information drawing objects when combination of drawing objects is commanded[[;]] wherein said developing step performs includes performing developing based upon the drawing objects combined at in said combining step.

- 8. (Currently Amended) The method according to claim 6, wherein said encoding step performs includes performing encoding while lowering the <u>a</u> compression ratio of the developed image data corresponding to the region.
- 9. (Currently Amended) The method according to claim 6, wherein said designation step designates includes designating the region in accordance with a degree of priority of object information that corresponds to a drawing object.
- 10. (Original) The method according to claim 6, wherein the drawing object is described by a page description language.
- 11. (Currently Amended) A computer-readable storage medium storing a program for executing an image processing method, the program comprising:
- a discrimination step, of discriminating a drawing object based upon object information corresponding to the drawing object;

an <u>a</u> developing step, of developing the drawing object and obtaining developed image data which represents <u>a</u> developed image;

a designation step, of designating a region of the developed image based upon object information corresponding to the drawing object that has been developed by in said developing step;

 \underline{a} shift-up step, of shifting up the bits of image data corresponding to the region of the developed image: and

an encoding step, of entropy encoding the developed image data, in which the bits of the image data which have been shifted up by in said shift-up step.

12. - 23. (Canceled)

24. (Currently Amended) An image processing apparatus comprising:

developing means for analyzing a plurality of commands representing a drawing object and developing bit-mapped image data for one page;

transformation means for transforming the bit-mapped image data by using a wavelet transformation and generating transformed coefficients for the one page;

designation means for designating a region of an image represented by the bit-mapped image data based upon the an analysis result of analyze provided by said developing means;

shift-up means for shifting up the bits of bit-mapped image data corresponding to the region of the image designated by said designation means; [[:]] and entropy encoding means for entropy encoding the bit-mapped image data, in which the bits of bit-mapped image data corresponding to the region which have been shifted up by said shift-up means.

- 25. (Original) The apparatus according to claim 24, further comprising:

 decode means for decoding code data encoded by said entropy encoding
 means and generating bit-mapped image data for one page; and
 print means for printing based on the bit-mapped image data.
- 26. (Original) The apparatus according to claim 24, wherein the command is described by using a page description language.
- 27. (Currently Amended) An image processing method comprising the steps of:
 analyzing a plurality of commands representing a drawing object and
 developing bit-mapped image data for one page;

transforming the bit-mapped image data by using a wavelet transformation and generating transformed coefficients for the one page;

designating a region of an image represented by the bit-mapped image data based upon the an analysis result of analyze produced in said developing step;

shifting up the bits of bit-mapped image data corresponding to the region of the image designated in said designation step; [[:]] and

entropy encoding the bit-mapped image data, in which the bits of bit-mapped image data corresponding to the region which have been shifted up in said shifting up step.

28. (Canceled)

29. (Currently Amended) A computer-readable memory storing program codes for controlling a printing apparatus for printing an image on a printing medium on the basis of input image data, comprising:

a developing step module, of analyzing a plurality of commands representing a drawing object and developing bit-mapped image data for one page;

a transforming step module, of transforming the bit-mapped image data by using a wavelet transformation and generating transformed coefficients for the one page;

a designation step module, of designating a region of an image represented by the bit-mapped image data based upon the an analysis result of analyze in said developing step module;

a bit shift-up step module, of shifting up the bits of bit-mapped image data corresponding to the region of the image designated in said designation step module; [[:]] and

an entropy encoding step module, of entropy encoding the bit-mapped image data, in which the bits of bit-mapped image data corresponding to the region which have been shifted up in said bit shift-up step module.